

# Computational Complexity of Decoding Orthogonal Space-Time Block Codes

Ender Ayanoglu, *Fellow, IEEE*, Erik G. Larsson, *Senior Member, IEEE*, and Eleftherios Karipidis, *Member, IEEE*

**Abstract**—The computational complexity of optimum decoding for an orthogonal space-time block code  $\mathcal{G}_N$  satisfying  $\mathcal{G}_N^H \mathcal{G}_N = c(\sum_{k=1}^K |s_k|^2) I_N$  where  $c$  is a positive integer is quantified. Four equivalent techniques of optimum decoding which have the same computational complexity are specified. Modifications to the basic formulation in special cases are calculated and illustrated by means of examples. This paper corrects and extends [2],[3], and unifies them with the results from the literature. In addition, a number of results from the literature are extended to the case  $c > 1$ .

**Index Terms**—OSTBC, maximum likelihood decoding, quadrature amplitude modulation (QAM), decoding QAM, square QAM.

## I. INTRODUCTION

IN [4], an optimum Maximum Likelihood metric is introduced for Orthogonal Space-Time Block Codes (OSTBCs). A general description of this metric and specific forms for a number of space-time codes can be found in [5]. This metric is complicated and, in a straightforward implementation, its computational complexity would depend on the size of the signal constellation. By a close inspection, it can be observed that it can actually be simplified and made independent of the constellation size. Alternatively, the Maximum Likelihood formulation can be made differently and the simplified metric can be obtained via different formulations [6],[7]. In [2],[3], yet another formulation is provided. Although it is stated in [2],[3] that the formulation depends on the size of the signal constellation as  $O(\sqrt{L})$  for square Quadrature Amplitude Modulation (QAM) with  $L$  signal points, in reality the detection can be performed using conventional quantization operation, independently of  $L$ . Therefore the computational complexity figures should be updated. However, the technique proposed in [2],[3], when properly implemented, happens to be one of the optimum decoding techniques for the decoding of OSTBCs. In this paper, we will unify all of the approaches

Paper approved by C. Tellambura, the Editor for Multicarrier Systems of the IEEE Communications Society. Manuscript received October 8, 2009; revised July 12, 2010 and October 5, 2010.

E. Ayanoglu is with the Center for Pervasive Communications and Computing, Department of Electrical Engineering and Computer Science, University of California Irvine, Irvine, CA (e-mail: ayanoglu@uci.edu).

E. G. Larsson and E. Karipidis are with the Department of Electrical Engineering, Linköping University, SE-581 83 Linköping, Sweden (e-mail: {erik.larsson, karipidis}@isy.liu.se).

This work was supported in part by the Center for Pervasive Communications and Computing at the University of California, Irvine, the Swedish Research Council (VR), and the Swedish Foundation for Strategic Research (SSF). E. G. Larsson is a Royal Swedish Academy of Sciences (KVA) Research Fellow supported by a grant from the Knut and Alice Wallenberg Foundation.

This paper was presented at the IEEE International Conference on Communications, Cape Town, South Africa, 2010 [1].

Digital Object Identifier 10.1109/TCOMM.2011.012711.090613

cited above and calculate the computational complexity of the optimum decoding of an OSTBC. We will begin our discussion within the framework of [2],[3].

Consider the decoding of an OSTBC with  $N$  transmit and  $M$  receive antennas, and an interval of  $T$  symbols during which the channel is constant. The received signal is given by

$$Y = \mathcal{G}_N H + V \quad (1)$$

where  $Y = [y_t^j]_{T \times M}$  is the received signal matrix of size  $T \times M$  and whose entry  $y_t^j$  is the signal received at antenna  $j$  at time  $t$ ,  $t = 1, 2, \dots, T$ ,  $j = 1, 2, \dots, M$ ;  $V = [v_t^j]_{T \times M}$  is the noise matrix, and  $\mathcal{G}_N = [g_t^i]_{T \times N}$  is the transmitted signal matrix whose entry  $g_t^i$  is the signal transmitted at antenna  $i$  at time  $t$ ,  $i = 1, 2, \dots, N$ . The matrix  $H = [h_{i,j}]_{N \times M}$  is the channel coefficient matrix of size  $N \times M$  whose entry  $h_{i,j}$  is the channel coefficient from transmit antenna  $i$  to receive antenna  $j$ . The entries of the matrices  $H$  and  $V$  are independent, zero-mean, and circularly symmetric complex Gaussian random variables.  $\mathcal{G}_N$  is an OSTBC with complex symbols  $s_k$ ,  $k = 1, 2, \dots, K$  and therefore  $\mathcal{G}_N^H \mathcal{G}_N = c(\sum_{k=1}^K |s_k|^2) I_N$  where  $c$  is a positive integer and  $I_N$  is the identity matrix of size  $N$ .

## II. A REAL-VALUED REPRESENTATION

Arrange the matrices  $Y$ ,  $H$ , and  $V$ , each in one column vector by stacking their columns on top of one another

$$y = \text{vec}(Y) = (y_1^1, \dots, y_T^M)^T, \quad (2)$$

$$h = \text{vec}(H) = (h_{1,1}, \dots, h_{N,M})^T, \quad (3)$$

$$v = \text{vec}(V) = (v_1^1, \dots, v_T^M)^T. \quad (4)$$

Then one can write

$$y = \check{\mathcal{G}}_N h + v \quad (5)$$

where  $\check{\mathcal{G}}_N = I_M \otimes \mathcal{G}_N$ , with  $\otimes$  denoting the Kronecker matrix multiplication. In [2],[3], a real-valued representation of (1) is obtained by decomposing the  $MT$ -dimensional complex problem defined by (5) to a  $2MT$ -dimensional real-valued problem and by applying the real-valued lattice representation defined in [8] to obtain

$$\check{y} = \check{H}x + \check{v} \quad (6)$$

where

$$\check{y} = (\text{Re}(y_1^1), \text{Im}(y_1^1), \dots, \text{Re}(y_T^M), \text{Im}(y_T^M))^T, \quad (7)$$

$$x = (\text{Re}(s_1), \text{Im}(s_1), \dots, \text{Re}(s_K), \text{Im}(s_K))^T, \quad (8)$$

$$\check{v} = (\text{Re}(v_1^1), \text{Im}(v_1^1), \dots, \text{Re}(v_T^M), \text{Im}(v_T^M))^T. \quad (9)$$

The real-valued fading coefficients of  $\check{H}$  are defined using the complex fading coefficients  $h_{i,j}$  from transmit antenna  $i$  to receive antenna  $j$  as  $h_{2i-1+2(j-1)N} = \text{Re}(h_{i,j})$  and  $h_{2i+2(j-1)N} = \text{Im}(h_{i,j})$  for  $i = 1, 2, \dots, N$  and  $j = 1, 2, \dots, M$ . Since  $\mathcal{G}_N$  is an orthogonal matrix and due to the real-valued representation of the system using (6), it can be observed that the columns  $\check{h}_i$  of  $\check{H}$  are orthogonal to each other and their inner products with themselves are a constant [2],[3]

$$\check{H}^T \check{H} = \sigma I_{2K}. \quad (10)$$

By multiplying (6) by  $\check{H}^T$  on the left, we have

$$\bar{y} = \sigma x + \bar{v} \quad (11)$$

where  $\bar{y} = \check{H}^T \check{y}$ , and  $\bar{v} = \check{H}^T \check{y}$  is a zero-mean random vector. Due to (10),  $\bar{v}$  has independent and identically distributed Gaussian members. The Maximum Likelihood solution is found by minimizing

$$\|\bar{y} - \sigma x\|_2^2 \quad (12)$$

or equivalently

$$\|\sigma^{-1} \bar{y} - x\|_2^2 \quad (13)$$

over all combinations of  $x \in \Omega^{2K}$ . As a result, the joint detection problem of an OSTBC decouples into  $K$  symbol detection problems

$$\|\sigma^{-1}(\bar{y}_{2k-1}, \bar{y}_{2k}) - (x_{2k-1}, x_{2k})\|_2^2 \quad (14)$$

one per symbol  $(x_{2k-1}, x_{2k}) \in \Omega^2$ , where  $k = 1, 2, \dots, K$ . Further, assuming that the signal constellation is separable as  $\Omega^2$  where  $\Omega = \{\pm 1, \pm 3, \dots, \pm (2L-1)\}$ , and  $L$  is an integer, the Maximum Likelihood decoding problem can be further simplified to

$$\min_{x_k \in \Omega} |x_k - \hat{x}_k|^2 \quad (15)$$

where we denoted

$$\hat{x}_k = \sigma^{-1} \bar{y}_k, \quad k = 1, 2, \dots, 2K, \quad (16)$$

which is a standard operation in conventional Quadrature Amplitude Modulation (QAM). In the sequel, we will compute the decoding complexity up to this quantization operation.

The decoding operation consists of the multiplication

$$\bar{y} = \check{H}^T \check{y}, \quad (17)$$

the calculation of

$$\sigma = \check{h}_1^T \check{h}_1, \quad (18)$$

the inversion of  $\sigma$ , and the multiplications in (16).

In what follows, we will show that when  $\mathcal{G}_N^H \mathcal{G}_N = c(\sum_{k=1}^K |s_k|^2) I_N$  where  $c$  is a positive integer, then  $\sigma = c\|H\|^2$ . The development will lead to the four equivalent optimal decoding techniques discussed in the next section.

Let  $\bar{s}_k = \text{Re}[s_k]$  and  $\tilde{s}_k = \text{Im}[s_k]$ . Form two vectors,  $\bar{s}$  and  $\tilde{s}$ , consisting of  $\bar{s}_k$  and  $\tilde{s}_k$ , respectively

$$\bar{s} = (\bar{s}_1, \bar{s}_2, \dots, \bar{s}_K)^T, \quad \tilde{s} = (\tilde{s}_1, \tilde{s}_2, \dots, \tilde{s}_K)^T, \quad (19)$$

and form a vector  $s'$  that is the concatenation of  $\bar{s}$  and  $\tilde{s}$

$$s' = (\bar{s}^T, \tilde{s}^T)^T. \quad (20)$$

By rearranging the right hand side of (5), we can write

$$y = Fs' + v = F_a \bar{s} + F_b \tilde{s} + v \quad (21)$$

where  $F = [F_a \ F_b]$  is an  $MT \times 2K$  complex matrix and  $F_a$  and  $F_b$  are  $MT \times K$  complex matrices whose entries consist of (linear combinations of) channel coefficients  $h_{i,j}$ . In [6], it was shown that when  $\mathcal{G}_N^H \mathcal{G}_N = (\sum_{k=1}^K |s_k|^2) I_N$ , then  $\text{Re}[F^H F] = \|H\|^2 I$ . It is straightforward to extend this result so that when  $\mathcal{G}_N^H \mathcal{G}_N = c(\sum_{k=1}^K |s_k|^2) I_N$ , then

$$\text{Re}[F^H F] = c\|H\|^2 I \quad (22)$$

where  $c$  is a positive integer. Let

$$\bar{y} = \text{Re}[y], \quad \tilde{y} = \text{Im}[y], \quad \bar{v} = \text{Re}[v], \quad \tilde{v} = \text{Im}[v], \quad (23)$$

and

$$\begin{aligned} \bar{F}_a &= \text{Re}[F_a], & \tilde{F}_a &= \text{Im}[F_a], \\ \bar{F}_b &= \text{Re}[F_b], & \tilde{F}_b &= \text{Im}[F_b]. \end{aligned} \quad (24)$$

Now define

$$y' = \begin{bmatrix} \bar{y} \\ \tilde{y} \end{bmatrix} \quad F' = \begin{bmatrix} \bar{F}_a & \tilde{F}_b \\ \tilde{F}_a & \bar{F}_b \end{bmatrix} \quad v' = \begin{bmatrix} \bar{v} \\ \tilde{v} \end{bmatrix} \quad (25)$$

so that we can write

$$y' = F' s' + v' \quad (26)$$

which is actually the same expression as (6) except the vectors and matrices have their rows and columns permuted.

It can be shown that (22) implies

$$F'^T F' = c\|H\|^2 I. \quad (27)$$

Let  $P_y$  and  $P_s$  be  $2MT \times 2MT$  and  $2K \times 2K$ , respectively, permutation matrices such that

$$\check{y} = P_y y', \quad x = P_s s'. \quad (28)$$

It follows that  $P_y^T P_y = P_y P_y^T = I$  and  $P_s^T P_s = P_s P_s^T = I$ . We now have

$$\check{y} = P_y (F' s' + v') = P_y F' P_s^T x + P_y v' = \check{H} x + \check{v}. \quad (29)$$

Therefore,

$$\check{H} = P_y F' P_s^T \quad (30)$$

which implies

$$\check{H}^T \check{H} = P_s F'^T P_y^T P_y F' P_s^T = c\|H\|^2 I. \quad (31)$$

As a result,  $\sigma = c\|H\|^2$ .

### III. FOUR EQUIVALENT OPTIMUM DECODING TECHNIQUES FOR OSTBCS

For an OSTBC  $\mathcal{G}_N$  satisfying  $\mathcal{G}_N^H \mathcal{G}_N = c(\sum_{k=1}^K |s_k|^2) I_N$  where  $c$  is a positive integer, the Maximum Likelihood solution is formulated in four equivalent ways with equal squared norm values

$$\|Y - \mathcal{G}_N H\|^2 = \|y - F s'\|^2 = \|y' - F' s'\|^2 = \|\check{y} - \check{H} x\|^2. \quad (32)$$

There are four solutions, all equal. The first solution is obtained by expanding  $\|Y - \mathcal{G}_N H\|^2$  and is given by eq. (7.4.2)

of [6] when  $c = 1^1$ . When  $c > 1$ , it should be altered as

$$\hat{s}_k = \frac{1}{c\|H\|^2} [\text{Re}\{\text{Tr}(H^H A_k^H Y)\} - \hat{i} \cdot \text{Im}\{\text{Tr}(H^H B_k^H Y)\}] \quad (33)$$

for  $k = 1, 2, \dots, K$ , where  $A_k$  and  $B_k$  are the matrices in the linear representation of  $\mathcal{G}_N$  in terms of  $\bar{s}_k$  and  $\tilde{s}_k$  as

$$\mathcal{G}_N = \sum_{k=1}^K \bar{s}_k A_k + i \tilde{s}_k B_k = \sum_{k=1}^K s_k \check{A}_k + s_k^* \check{B}_k, \quad (34)$$

$\hat{i} = \sqrt{-1}$ ,  $A_k = \check{A}_k + \check{B}_k$ , and  $B_k = \check{A}_k - \check{B}_k$  [6]. Once  $\{\hat{s}_k\}_{k=1}^K$  are calculated, the decoding problem can be solved by

$$\min_{\bar{s}_k \in \Omega} |\bar{s}_k - \text{Re}[\hat{s}_k]|^2, \quad \min_{\tilde{s}_k \in \Omega} |\tilde{s}_k - \text{Im}[\hat{s}_k]|^2 \quad (35)$$

once for each  $k = 1, 2, \dots, K$ . Similarly to (15), this is a standard quantization problem in QAM.

The second solution is obtained by expanding the second expression in (32) and is given by

$$\hat{s}' = \frac{\text{Re}[F^H y]}{c\|H\|^2}. \quad (36)$$

This is given in [4, eq. (7.4.20)] for  $c = 1$ . The third solution corresponds to the minimization of the third expression in (32) and is given by

$$\hat{s}' = \frac{F'^T y'}{c\|H\|^2}. \quad (37)$$

The fourth solution is the one introduced in [2]. It is obtained by minimizing the fourth expression in (32) and is given by

$$\hat{x} = \frac{\check{H}^T \check{y}}{\sigma} = \frac{\check{H}^T \check{y}}{c\|H\|^2}. \quad (38)$$

Considering that

$$F_a = [\text{vec}(A_1 H) \dots \text{vec}(A_K H)] \quad (39)$$

$$F_b = [\hat{i} \cdot \text{vec}(B_1 H) \dots \hat{i} \cdot \text{vec}(B_K H)] \quad (40)$$

[4, eq. (7.1.7)], it can be verified that (33) and (36) are equal. The equality of (36) and (37) follows from (23)-(25). The equality of (37) and (38) follows from (28) and (30). Therefore, equations (33), (36)-(38) yield the same result, and when properly implemented, will have identical computational complexity.

Although these four techniques are equivalent, a straightforward implementation of (33) or (36) can actually result in larger complexity than (37) or (38). The proper implementation requires that in (33) or (36), the terms not needed due to elimination by the  $\text{Tr}[\cdot]$ ,  $\text{Re}[\cdot]$ , and  $\text{Im}[\cdot]$  operators are not calculated.

Let's now compare these techniques with the minimization of the metric introduced in [4]. For a complex OSTBC, let [4],[5]

$$r_k = \sum_{t \in \eta(k)} \sum_{j=1}^M \text{sgn}_t(k) \check{h}_{\epsilon_t(k),j} \check{y}_t^j(k) \quad (41)$$

where  $\eta(k)$  is the set of rows of  $\mathcal{G}_N$  in which  $s_k$  appears,  $\epsilon_t(k)$

<sup>1</sup>The notation in [5] and [6] is the transposed form of the one adopted in this paper.

expresses the column position of  $s_k$  in the  $t$ th row,  $\text{sgn}_t(k)$  denotes the sign of  $s_k$  in the  $t$ th row,

$$\check{h}_{\epsilon_t(k),j} = \begin{cases} h_{\epsilon_t(k),j}^* & \text{if } s_k \text{ is in the } t \text{th row of } \mathcal{G}_N, \\ h_{\epsilon_t(k),j} & \text{if } s_k^* \text{ is in the } t \text{th row of } \mathcal{G}_N, \end{cases} \quad (42)$$

and

$$\check{y}_t^j(k) = \begin{cases} y_t^j & \text{if } s_k \text{ is in the } t \text{th row of } \mathcal{G}_N, \\ (y_t^j)^* & \text{if } s_k^* \text{ is in the } t \text{th row of } \mathcal{G}_N \end{cases} \quad (43)$$

for  $k = 1, 2, \dots, K$ . A close inspection shows that  $r_k$  in (41)-(43) is equal to the numerator of (33).

The metric to be minimized for  $s_k$  is given as [4],[5]

$$|s_k - r_k|^2 + \left( c \sum_{i=1}^N \sum_{j=1}^M |h_{i,j}|^2 - 1 \right) |s_k|^2. \quad (44)$$

Implemented as it appears in (44), this metric has larger complexity than the metrics for four equivalent techniques described above. Furthermore, its complexity depends on the constellation size  $L$  due to the presence of the factor  $|s_k|^2$ . It can be simplified, however.

For minimization purposes, we can write (44) as

$$\begin{aligned} & |s_k|^2 - 2\text{Re}[s_k^* r_k] + |r_k|^2 + c\|H\|^2 |s_k|^2 - |s_k|^2 \\ &= c\|H\|^2 \left( |s_k|^2 - \frac{2\text{Re}[s_k^* r_k]}{c\|H\|^2} + \frac{|r_k|^2}{c^2\|H\|^4} \right) + \text{const.} \quad (45) \\ &= c\|H\|^2 \left| s_k - \frac{r_k}{c\|H\|^2} \right|^2 + \text{const.} \end{aligned}$$

where the first equality follows from the fact that the third term inside the parenthesis in (45) is independent of  $s_k$ . Because of our observation that  $r_k$  is the same as the numerator of (33), we have

$$\hat{s}_k = \frac{r_k}{c\|H\|^2} \quad k = 1, 2, \dots, K \quad (46)$$

and then this method becomes equivalent to our four equivalent techniques. We would like to note that observations equivalent to the expression in (33) were made in [9] and [10].

#### IV. OPTIMUM DECODING COMPLEXITY OF OSTBCs

Since the four decoding techniques (33), (36)-(38) are equivalent, we will calculate their computational complexity by using one of them. This can be done most simply by using (37) or (38) for this purpose.

First, assume  $c = 1$ . Note  $\check{H}$  is a  $2MT \times 2K$  matrix. The multiplication  $\check{H}^T \check{y}$  takes  $2MT \cdot 2K$  and calculation of  $\sigma = \|H\|^2$  takes  $2MN$  real multiplications, its inverse takes a real division, and  $\sigma^{-1} \check{y}$  takes  $2K$  real multiplications. Similarly, the multiplication  $\check{H}^T \check{y}$  takes  $2K \cdot (2MT - 1)$ , and calculation of  $\sigma$  takes  $2MN - 1$  real additions. Letting  $R_D$ ,  $R_M$  and  $R_A$  be the number of real divisions, the number of real multiplications, and the number of real additions, the complexity of decoding the transmitted complex signal  $(s_1, s_2, \dots, s_K)$  with the technique described in (17),(18), and (16) is

$$\begin{aligned} \mathcal{C} = & 1R_D, (4KMT + 2MN + 2K)R_M, \\ & (4KMT + 2MN - 2K - 1)R_A. \end{aligned} \quad (47)$$

Note that the complexity does not depend on the constellation size  $L$ . If we take the complexity of a real division as equivalent to 4 real multiplications as in [2],[3], then the complexity is

$$\begin{aligned} \mathcal{C} &= (4KMT + 2MN + 2K + 4)R_M, \\ &\quad (4KMT + 2MN - 2K - 1)R_A \end{aligned} \quad (48)$$

which is smaller than the complexity specified in [2],[3] and does not depend on  $L$ . In the rest of this paper, we will use this assumption. The conversion from this form to that in (47) can be made simply by adding a real division and reducing the number of real multiplications by 4.

When  $c > 1$ , the number of real multiplications to calculate  $\sigma$  increases by 1, however, in the examples it will be seen that the complexity of the calculation of  $\check{H}^T \check{y}$  is reduced by a factor of  $c$ .

In what follows, we will calculate the exact complexity values for four examples. See [4],[5] for explicit metrics of the form (41)-(44) for these examples.

*Example 1:* Consider the Alamouti OSTBC with  $N = K = T = 2$  and  $M = 1$  where

$$\mathcal{G}_2 = \begin{bmatrix} s_1 & s_2 \\ -s_2^* & s_1^* \end{bmatrix}. \quad (49)$$

The matrix  $\check{H}$  can be calculated as

$$\check{H} = \begin{bmatrix} h_1 & -h_2 & h_3 & -h_4 \\ h_2 & h_1 & h_4 & h_3 \\ h_3 & h_4 & -h_1 & -h_2 \\ h_4 & -h_3 & -h_2 & h_1 \end{bmatrix}. \quad (50)$$

Note that the matrix  $\check{H}$  is orthogonal and all of its columns have the same squared norm. One needs 16 real multiplications to calculate  $\check{y} = \check{H}^T \check{y}$ , 4 real multiplications to calculate  $\sigma = \check{h}_1^T \check{h}_1$ , 4 real multiplications to calculate  $\sigma^{-1}$ , and 4 real multiplications to calculate  $\sigma^{-1} \check{y}$ . There are  $3 \cdot 4 = 12$  real additions to calculate  $\check{H}^T \check{y}$  and 3 real additions to calculate  $\sigma$ . As a result, with this approach, decoding takes a total of 28 real multiplications and 15 real additions.

The complexity figures in (48) are 28 real multiplications and 15 real additions, which hold exactly.

*Example 2:* Consider the OSTBC with  $M = 2$ ,  $N = 3$ ,  $T = 8$ , and  $K = 4$  given by [11]

$$\mathcal{G}_3 = \begin{bmatrix} s_1 & s_2 & s_3 \\ -s_2 & s_1 & -s_4 \\ -s_3 & s_4 & s_1 \\ -s_4 & -s_3 & s_2 \\ s_1^* & s_2^* & s_3^* \\ -s_2^* & s_1^* & -s_4^* \\ -s_3^* & s_4^* & s_1^* \\ -s_4^* & -s_3^* & s_2^* \end{bmatrix}. \quad (51)$$

For this  $\mathcal{G}_N$ , one has  $\mathcal{G}_3^H \mathcal{G}_3 = 2 \left( \sum_{k=1}^K |s_k|^2 \right) I_3$ . In [3], it has been shown that the  $32 \times 8$  real-valued channel matrix  $\check{H}$

is

$$\check{H} = \begin{bmatrix} h_1 & -h_2 & h_3 & -h_4 & h_5 & -h_6 & 0 & 0 \\ h_2 & h_1 & h_4 & h_3 & h_6 & h_5 & 0 & 0 \\ \vdots & \vdots \\ h_7 & -h_8 & h_9 & -h_{10} & h_{11} & -h_{12} & 0 & 0 \\ h_8 & h_7 & h_{10} & h_9 & h_{12} & h_{11} & 0 & 0 \\ \vdots & \vdots \\ 0 & 0 & h_{11} & h_{12} & -h_9 & -h_{10} & -h_7 & -h_8 \\ 0 & 0 & h_{12} & -h_{11} & -h_{10} & h_9 & -h_8 & h_7 \end{bmatrix} \quad (52)$$

where  $h_i$ ,  $i = 1, 2, \dots, 11$  and  $h_j$ ,  $j = 2, 4, \dots, 12$  are the real and imaginary parts, respectively, of  $h_{1,1}$ ,  $h_{2,1}$ ,  $h_{3,1}$ ,  $h_{1,2}$ ,  $h_{2,2}$ ,  $h_{3,2}$ . The matrix  $\check{H}^T$  is  $8 \times 32$  where each row has 8 zeros, while each of the remaining 24 symbols has one of  $h_1, h_2, \dots, h_{12}$ , repeated twice. Let's first ignore the repetition of  $h_i$  in a row. Then, the calculation of  $\check{H}^T \check{y}$  takes  $8 \cdot 24 = 192$  real multiplications. The calculation of  $\sigma = \check{h}_1^T \check{h}_1 = 2 \sum_{k=1}^{12} h_k^2$  takes  $12 + 1 = 13$  real multiplications. In addition, one needs 4 real multiplications to calculate  $\sigma^{-1}$ , and 8 real multiplications to calculate  $\sigma^{-1} \check{y}$ . To calculate  $\check{H}^T \check{y}$ , one needs  $8 \cdot 23 = 184$  real additions, and to calculate  $\sigma$ , one needs 11 real additions. As a result, with this approach, one needs a total of 217 real multiplications and 195 real additions to decode.

For this example, (48) specifies 300 real multiplications and 279 real additions. The reduction is due to the elements with zero values in  $\check{H}$ .

It is important to make the observation that the repeated values of  $h_i$  in the columns of  $\check{H}$ , or equivalently  $h_{m,n}^*$  in the rows of  $H^H A_k^H$  or  $H^H B_k^H$ , have a substantial impact on complexity. Due to the repetition of  $h_i$ , by grouping the two values of  $\check{y}_j$  that it multiplies, it takes  $8 \cdot 12 = 96$  real multiplications to compute  $\check{H}^T \check{y}$ , not  $8 \cdot 24 = 192$ . The summations for each row of  $\check{H}^T \check{y}$  will now be carried out in two steps, first 12 pairs of additions per each  $h_i$ , and then after multiplication by  $h_i$ , addition of 12 real numbers. This takes  $12 + 11 = 23$  real additions, with no change from the way the calculation was made without grouping. With this change, the complexity of decoding becomes 121 real multiplications and 195 real additions, a huge reduction from 300 real multiplications and 279 real additions.

*Example 3:* We will now consider the code  $\mathcal{G}_4$  from [11]. The parameters for this code are  $N = K = 4$ ,  $M = 1$ , and  $T = 8$ . It is given as

$$\mathcal{G}_4 = \begin{bmatrix} s_1 & s_2 & s_3 & s_4 \\ -s_2 & s_1 & -s_4 & s_3 \\ -s_3 & s_4 & s_1 & -s_2 \\ -s_4 & -s_3 & s_2 & s_1 \\ s_1^* & s_2^* & s_3^* & s_4^* \\ -s_2^* & s_1^* & -s_4^* & s_3^* \\ -s_3^* & s_4^* & s_1^* & -s_2^* \\ -s_4^* & -s_3^* & s_2^* & s_1^* \end{bmatrix}. \quad (53)$$

Similarly to  $\mathcal{G}_3$  of Example 2, this code has the property that  $\mathcal{G}_4^H \mathcal{G}_4 = 2 \left( \sum_{k=1}^K |s_k|^2 \right) I_4$ . The  $\check{H}$  matrix is  $16 \times 8$  and can

be calculated as

$$\check{H} = \begin{bmatrix} h_1 & -h_2 & h_3 & -h_4 & h_5 & -h_6 & h_7 & h_8 \\ h_2 & h_1 & h_4 & h_3 & h_6 & h_5 & h_8 & h_7 \\ h_3 & -h_4 & -h_1 & h_2 & h_7 & -h_8 & -h_5 & h_6 \\ h_4 & h_3 & -h_2 & -h_1 & h_8 & h_7 & -h_6 & -h_5 \\ \vdots & \vdots \\ h_5 & h_6 & -h_7 & h_8 & -h_1 & -h_2 & h_3 & h_4 \\ h_6 & -h_5 & -h_8 & h_7 & -h_2 & h_1 & h_4 & -h_3 \end{bmatrix}. \quad (54)$$

This matrix consists entirely of nonzero entries. Each entry in a column equals  $\pm h_i$  for some  $i \in \{1, 2, \dots, 8\}$ , every  $h_i$  appearing twice in a column. Ignoring this repetition for now, calculation of  $\check{H}^T \check{y}$  takes  $8 \cdot 16 = 128$  real multiplications. Calculation of  $\sigma$  takes 9 real multiplications, its inverse 4 real multiplications, and the calculation of  $\sigma^{-1} \bar{y}$  takes 8 real multiplications. Calculation of  $\check{H}^T \check{y}$  takes  $8 \cdot 15 = 120$  real additions, and calculation of  $\sigma$  takes 7 real additions. As a result, with this approach, to decode, one needs 149 real multiplications and 127 real additions.

For this example, equation (48) specifies 156 real multiplications and 135 real additions. The reduction is due to the fact that one row of  $\check{H}^T$  has each  $h_i$  appearing twice. This reduces the number of multiplications and summations to calculate  $\sigma$  by about a factor of 2.

However, because each  $h_i$  appears twice in every row of  $\check{H}^T$ , the number of multiplications can actually be reduced substantially. As discussed in Example 2, we can reduce the number of multiplications to calculate  $\check{H}^T \check{y}$  by grouping the two multipliers of each  $h_i$  by summing them prior to multiplication by  $h_i$ ,  $i = 1, 2, \dots, 8$ . As seen in Example 2, this does not alter the number of real additions. With this simple change, the number of real multiplications to decode becomes 85 and the number of real additions to decode remains at 127.

*Example 4:* It is instructive to consider the code  $\mathcal{H}_3$  given in [11] with  $N = 3$ ,  $K = 3$ ,  $T = 4$  which we will consider for  $M = 1$  where

$$\mathcal{H}_3 = \begin{bmatrix} s_1 & s_2 & s_3/\sqrt{2} \\ -s_2^* & s_1^* & s_3/\sqrt{2} \\ s_3^*/\sqrt{2} & s_3^*/\sqrt{2} & (-s_1 - s_1^* + s_2 - s_2^*)/2 \\ s_3^*/\sqrt{2} & -s_3^*/\sqrt{2} & (s_2 + s_2^* + s_1 - s_1^*)/2 \end{bmatrix}. \quad (55)$$

For this code,  $\mathcal{H}_3^H \mathcal{H}_3 = (\sum_{k=1}^3 |s_k|^2) I_3$  is satisfied. In this case, the matrix  $\check{H}$  can be calculated as

$$\check{H}_{1-4} = \begin{bmatrix} h_1 & -h_2 & h_3 & -h_4 \\ h_2 & h_1 & h_4 & h_3 \\ h_3 & h_4 & -h_1 & -h_2 \\ h_4 & -h_3 & -h_2 & h_1 \\ -h_5 & 0 & 0 & -h_6 \\ -h_6 & 0 & 0 & h_5 \\ 0 & h_6 & h_5 & 0 \\ 0 & -h_5 & h_6 & 0 \end{bmatrix}, \quad (56)$$

$$\check{H}_{5-6} = \begin{bmatrix} h_5/\sqrt{2} & -h_6/\sqrt{2} \\ h_6/\sqrt{2} & h_5/\sqrt{2} \\ h_5/\sqrt{2} & -h_6/\sqrt{2} \\ h_6/\sqrt{2} & h_5/\sqrt{2} \\ (h_1 + h_3)/\sqrt{2} & (h_2 + h_4)/\sqrt{2} \\ (h_2 + h_4)/\sqrt{2} & -(h_1 + h_3)/\sqrt{2} \\ (h_1 - h_3)/\sqrt{2} & (h_2 - h_4)/\sqrt{2} \\ (h_2 - h_4)/\sqrt{2} & -(h_1 + h_3)/\sqrt{2} \end{bmatrix} \quad (57)$$

where due to space limitations we showed the first four columns of  $\check{H}$  as  $\check{H}_{1-4}$  and the last two columns of  $\check{H}$  as  $\check{H}_{5-6}$ . It can be verified that every column  $\check{h}_i$  of  $\check{H}$  has the property that  $\check{h}_i^T \check{h}_i = \sigma = \|H\|^2 = \sum_{k=1}^6 h_k^2$  for  $i = 1, 2, \dots, 6$ . In this case, the number of real multiplications to calculate  $\check{H}^T \check{y}$  requires more caution than the previous examples. For the first four rows of  $\check{H}^T$ , this number is 6 real multiplications per row. For the last two rows, due to combining, e.g.,  $h_1$  and  $h_3$  in  $(h_1 + h_3)/\sqrt{2}$  in the fifth element of  $\check{h}_5$ , and the commonality of  $h_5$  and  $h_6$  for the first and third, and second and fourth, respectively, elements of  $\check{h}_5$ , and one single multiplier  $1/\sqrt{2}$  for the whole column, the number of real multiplications needed is 7. As a result, calculation of  $\check{H}^T \check{y}$  takes 38 real multiplications. Calculation of  $\sigma$  takes 6 real multiplications. One needs 4 real multiplications to calculate  $\sigma^{-1}$ , and 6 real multiplications to calculate  $\sigma^{-1} \bar{y}$ . First four rows of  $\check{H}^T \check{y}$  require 5 real additions each. Last two rows of  $\check{H}^T \check{y}$  require  $4 + 7 = 11$  real additions each. This is a total of 42 real additions to calculate  $\check{H}^T \check{y}$ . Calculation of  $\sigma$  requires 5 real additions. Overall, with this approach one needs 54 real multiplications and 47 real additions to decode.

For this example, (48) specifies 66 real multiplications and 49 real additions. The reduction is due to the presence of the zero entries in  $\check{H}$ . On the other hand, the presence of the factor  $1/\sqrt{2}$  in the last two rows of  $\check{H}^T$  adds two real multiplications to the total number of real multiplications.

## V. CONCLUSION

Equation (47) yields the computational complexity of decoding an OSTBC when its  $\check{H}$  matrix consists only of nonzero entries in the form of  $h_i$  when  $c = 1$ . It should be updated as specified in the paragraph following (48) when  $c > 1$ . The presence of zero values within  $\check{H}$  reduces the computational complexity. In the examples its effect has been a reduction in the number of real multiplications to calculate  $\check{H}^T \check{y}$  by a factor equal to the ratio of the rows of  $A_k$  and  $B_k$  that consist only of zero values to the total number of all rows in  $A_k$  and  $B_k$  for  $k = 1, 2, \dots, K$ , with a similar reduction in the number of real additions to calculate  $\check{H}^T \check{y}$ . With the modifications outlined above, (47) specifies the computational complexity of decoding the majority of OSTBCs. In some cases, the contents of the  $\check{H}$  matrix can have linear combinations of  $h_i$  values, which result in minor changes in computational complexity as specified by this formulation, as shown in Example 4. Finally, note that  $L = 2$  is a special case where the signal belongs to one of the four quadrants, calculation of and division by  $c\|H\|^2$  are not needed and the computational complexity will be correspondingly lower.

## REFERENCES

- [1] E. Ayanoglu, E. G. Larsson, and E. Karipidis, "Computational complexity of decoding orthogonal space-time block codes," in *Proc. IEEE International Conf. Commun.*, May 2010, pp. 1-6.
- [2] L. Azzam and E. Ayanoglu, "A novel maximum likelihood decoding algorithm for orthogonal space-time block codes," *IEEE Trans. Commun.*, vol. 57, pp. 606-609, Mar. 2009.
- [3] ———, "Low-complexity maximum likelihood detection of orthogonal space-time block codes," in *Proc. IEEE Global Telecommun. Conf.*, Nov. 2008, pp. 1-5.
- [4] V. Tarokh, H. Jafarkhani, and A. J. Calderbank, "Space-time block codes from orthogonal designs," *IEEE Trans. Inf. Theory*, vol. 45, pp. 1456-1467, July 1999.
- [5] B. Vucetic and J. Yuan, *Space-Time Coding*. Wiley, 2003.
- [6] E. G. Larsson and P. Stoica, *Space-Time Block Coding for Wireless Communications*. Cambridge University Press, 2003.
- [7] G. B. Giannakis, Z. Liu, X. Ma, and S. Zhou, *Space-Time Coding for Broadband Wireless Communications*. Wiley, 2007.
- [8] L. Azzam and E. Ayanoglu, "Reduced complexity sphere decoding for square QAM via a new lattice representation," in *Proc. IEEE Global Telecommun. Conf.*, Nov. 2007, pp. 4242-4246.
- [9] X. Li, T. Luo, G. Yue, and C. Yin, "A squaring method to simplify the decoding of orthogonal space-time block codes," *IEEE Trans. Commun.*, vol. 49, pp. 1700-1703, Oct. 2001.
- [10] C. Xu and K. S. Kwak, "On decoding algorithm and performance of space-time block codes," *IEEE Trans. Wireless Commun.*, vol. 4, pp. 825-829, May 2005.
- [11] V. Tarokh, H. Jafarkhani, and R. Calderbank, "Space-time block coding for wireless communications: performance results," *IEEE J. Sel. Areas Commun.*, vol. 17, pp. 451-460, July 1999.